



For Wholesale Purchases and
Customized Prices

Please contact via :
export@osmanoglugroup.com
or

+90 554 574 57 37

+90 542 505 82 07



CONTENTS

Wood Saws

- ✓ Carbide Diamond Tipped Cross Mitre Cut Blades For Wood and Chipboard.....1
- ✓ Carbide Diamond Tipped Precision Circular Saw Blade, BG tooth2
- ✓ Carbide Diamond Tipped Multiple Slicing Blades With Cooling Grooves2
- ✓ Carbide Diamond Tipped Fine-Cut Hardwood Blades.....3
- ✓ Carbide Diamond Tipped Circular Saw Blades For Portable Site Saws3
- ✓ Carbide Diamond Tipped Groove Cutting Blades4
- ✓ Circular Wood Blades5
- ✓ HRC-59 Planer blades for wood applications.....5
- ✓ Band Saw Blades for Wood..... 6

MDF and Laminate Saws

- ✓ Carbide Diamond Tipped Ultra Fine Circular Saw Blades, TRF Tooth.....7
- ✓ Silent Cut MDF/Laminates Blade8
- ✓ Carbide Diamond Tipped Router CNC Cutters8
- ✓ Carbide Diamond Tipped Marker Blades.....9
- ✓ Main and Marker Blades for Horizontal Sheet Material Cutting10-11

Aluminium Saws





- ✓ Aluminium PVC Solid Tube Cutter Blades12
- ✓ Metal DRY Cut (Sandwich Panel)12
- ✓ Silent Carbide Diamond Tipped Circular Saw Blades for Aluminium and PVC13
- ✓ Fold Grooving Cutters.....14
- ✓ Krom Vanadium - Aluminium/PVC Steel Tooth Blades Steel Cutters for Saws and Routers,
Chrome-Vanadium14

Metal Saws

- ✓ Circular metal tube cutting blades.....15
- ✓ HSS Angle Grinder Disks for Metal Applications16

Wood Saws

Carbide Diamond Tipped Cross Mitre Cut Blades For Wood and Chipboard



AHS KOD NO	D	B	d	Z	Sharpening angles		
					a	b	c
AHS-100-01	100	3,00	30	18	10	15	15
AHS-150-01	150	3,00	30	24	13	15	10
AHS-150-02	150	3,00	30	48	10	15	15
AHS-160-01	160	3,00	30	24	13	15	10
AHS-160-02	160	3,00	30	48	10	15	15
AHS-180-01	180	3,00	30	24	13	15	10
AHS-180-02	180	3,00	30	30	13	15	10
AHS-180-03	180	3,00	30	40	13	15	10
AHS-180-04	180	3,00	30	48	10	15	15
AHS-200-01	200	3,00	30	40	13	15	10
AHS-200-02	200	3,00	30	48	10	15	15
AHS-200-03	200	3,00	30	64	5	18	15
AHS-200-04	200	4,40	30	36	5	18	15
AHS-250-01	250	3,20	30	40	13	15	15
AHS-250-02	250	3,20	30	48	13	15	15
AHS-250-03	250	3,20	30	60	10	15	15
AHS-250-04	250	3,20	30	80	5	18	15
AHS-300-01	300	3,20	30	48	13	15	10
AHS-300-02	300	3,20	30	60	10	15	15
AHS-300-03	300	3,20	30	72	10	15	15

AHS KOD NO	D	B	d	Z	Sharpening angles		
					a	b	c
AHS-300-04	300	3,20	30	96	5	18	15
AHS-350-01	350	3,60	30	54	13	15	10
AHS-350-02	350	3,60	30	72	13	15	15
AHS-350-03	350	3,60	30	84	10	15	15
AHS-350-04	350	3,60	30	108	5	18	15
AHS-400-01	400	4,00	30	60	15	15	15
AHS-400-02	400	4,00	30	72	10	15	15
AHS-400-03	400	4,00	30	96	10	15	15
AHS-400-04	400	4,00	30	120	5	18	15
AHS-450-01	450	4,00	30	54	13	15	10
AHS-450-02	450	4,00	30	72	13	15	10
AHS-450-03	450	4,00	30	96		15	15
AHS-450-04	450	4,00	30	120	10	15	15
AHS-500-01	500	4,00	30	60	10	15	15
AHS-500-02	500	4,00	30	72	10	15	15
AHS-500-03	500	4,00	30	96	10	15	15
AHS-500-04	500	4,00	30	120	10	15	15
AHS-550-01	550	4,00	30	60	10	15	15
AHS-600-01	600	4,40	30	72	10	15	15


Wood Saws

Carbide Diamond Tipped Precision Circular Saw Blade, BG tooth




It is used for cutting softwood plywood and chipboard.

BG KOD NO	D	B	d	Z
BG-200-01	200	3,00	30	20
BG-250-01	250	3,20	30	24
BG-300-01	300	3,20	30	28
BG-350-01	350	3,60	30	32
BG-400-01	400	4,00	30	36
BG-400-02	400	4,00	30	42
BG-450-01	450	4,00	30	42
BG-500-01	500	4,00	30	48
BG-550-01	550	4,00	30	48
BG-600-01	600	4,00	30	56
BG-600-02	600	4,40	30	56



Carbide Diamond Tipped Multiple Slicing Blades With Cooling Grooves






They are used for multi cutting operations with hard and soft timbers by side sidling machines. Therefore open and close hard material plates placing through saw blades, they are not getting squeezed and hot.

CD KOD NO	D	B	d	Z
CD-250-01	250	3,20	30	20
CD-250-02	250	3,20	60	20
CD-250-03	250	3,20	75	20
CD-300-01	300	3,40	30	24
CD-300-02	300	3,40	60	24
CD-300-03	300	3,40	70	24
CD-300-04	300	3,40	75	24
CD-350-01	350	3,80	70	28
CD-350-02	350	3,80	75	28
CD-350-03	350	3,80	75	32
CD-400-01	400	4,00	70	32
CD-400-02	400	4,00	75	32
CD-450-01	450	4,00	70	36
CD-450-02	450	4,00	75	36
CD-500-01	500	5,00	70	38

*until 900mm we have customized production



Wood Saws

Carbide Diamond Tipped Fine-Cut Hardwood Blades



MSF KOD NO	D	B	d	Z	
MSF-200-01	200	2,40	30	30	
MSF-200-02	200	2,40	30	40	
MSF-200-03	200	2,40	30	64	
MSF-200-04	200	2,40	30	48	
MSF-250-01	250	2,40	30	24	
MSF-250-02	250	2,40	30	40	
MSF-250-03	250	2,40	30	48	
MSF-250-04	250	2,40	30	60	
MSF-250-05	250	2,40	30	80	
MSF-260-01	260	2,60	30	80	
MSF-300-01	300	2,40	30	28	
MSF-300-02	300	2,40	30	48	
MSF-350-01	350	2,40	30	32	
MSF-350-02	350	2,40	30	54	

Carbide Diamond Tipped Circular Saw Blades For Portable Site Saws




PRT KOD NO	D	B	d	Z	
PRT-100-01	100	2,40	20	12	
PRT-110-01	110	2,40	20	18	
PRT-115-01	115	2,40	20	12	
PRT-115-02	115	2,40	20	18	
PRT-125-01	125	2,40	20	24	
PRT-130-01	130	2,40	20	24	
PRT-140-01	140	2,40	20	24	
PRT-150-01	150	2,40	20	24	
PRT-150-02	150	2,40	20	48	
PRT-160-01	160	2,40	20	24	
PRT-160-02	160	2,40	20	48	
PRT-165-01	165	2,40	20	24	
PRT-170-01	170	2,40	20	24	
PRT-180-01	180	2,40	20	24	
PRT-180-02	180	2,40	20	40	
PRT-180-03	180	2,40	30	48	
PRT-185-01	185	2,40	20	24	
PRT-185-02	185	2,40	20	40	
PRT-190-01	190	2,40	20	24	
PRT-190-02	190	2,40	30	24	
PRT-190-03	190	2,40	20	40	
PRT-190-04	190	2,40	30	40	
PRT-210-01	210	2,40	30	24	
PRT-210-02	210	2,40	30	32	
PRT-210-03	210	2,40	30	48	
PRT-230-01	230	2,40	30	36	
PRT-235-01	235	2,40	30	36	

They are used with portable machines in cutting plywood; blackboard and also they are used to chip soft lumbers.

Wood Saws

Carbide Diamond Tipped Groove Cutting Blades



These saw blades are making the process in opening canal and lamp for requested width at the hard, soft timbers and timber plates. Besides they are used for massive cleaning operations.

KNL KOD NO	D	B	d	Z	
KNL-150-01	150	4,00	30	12	
KNL-150-02	150	4,00	30	18	
KNL-150-03	150	5,00	30	12	
KNL-150-04	150	5,00	30	18	
KNL-150-05	150	6,00	30	12	
KNL-150-06	150	6,00	30	18	
KNL-150-07	150	8,00	30	12	
KNL-150-08	150	8,00	30	18	
KNL-150-09	150	10,00	30	12	
KNL-150-10	150	10,00	30	18	
KNL-180-01	180	4,00	30	12	
KNL-180-02	180	4,00	30	18	
KNL-180-03	180	4,40	30	18	
KNL-180-04	180	5,00	30	12	
KNL-180-05	180	5,00	30	18	
KNL-180-06	180	6,00	30	12	
KNL-180-07	180	6,00	30	18	
KNL-180-08	180	8,00	30	12	

KNL KOD NO	D	B	d	Z	
KNL-180-09	180	8,00	30	18	
KNL-180-10	180	9,00	30	12	
KNL-180-11	180	9,00	30	18	
KNL-180-12	180	10,00	30	12	
KNL-180-13	180	10,00	30	18	
KNL-200-01	200	4,00	30	12	
KNL-200-02	200	4,00	30	18	
KNL-200-03	200	4,40	30	18	
KNL-200-04	200	5,00	30	12	
KNL-200-05	200	5,00	30	18	
KNL-200-06	200	6,00	30	12	
KNL-200-07	200	6,00	30	18	
KNL-200-08	200	8,00	30	12	
KNL-200-09	200	8,00	30	18	
KNL-200-10	200	9,00	30	12	
KNL-200-11	200	9,00	30	18	
KNL-200-12	200	10,00	30	12	
KNL-200-13	200	10,00	30	18	

Wood Saws


Standard Circular Wood Blades



Handwritten signature

EA KOD NO	D	B	d	Z	
EA-100-01	100	0,90	16-20	72	
EA-125-01	125	0,90	20	72	
EA-150-01	150	1,00	20	72	
EA-175-01	175	1,10	20-30	72	
EA-200-01	200	1,50	30	76	
EA-200-02	200	3,00	40	72	
EA-250-01	250	1,60	30	76	
EA-250-02	250	3,00	40	72	
EA-300-01	300	1,80	30	76	
EA-350-01	350	1,80	30	76	
EA-400-01	400	2,00	30	76	
EA-450-01	450	2,20	30	76	
EA-500-01	500	2,50	30	56	
EA-600-01	600	2,80	30	56	
EA-700-01	700	3,50	40	56	
EA-800-01	800	3,50	40	56	


Planer blades for wood applications HRC-59



PL KOD NO	D	B	d	
PL-100-01	100	35	3	
PL-150-01	150	35	3	
PL-200-01	200	35	3	
PL-300-01	300	35	3	
PL-400-01	400	35	3	
PL-500-01	500	35	3	
PL-600-01	600	35	3	

Saw Blades For MDF and Laminate



Carbide Diamond Tipped Ultra Fine Circular Saw Blades, TRF Tooth



TRF KOD NO	D	B	d	Z	Sharpening angles	
					a	b
TRF-180-01	180	2,40	30	58	6	15
TRF-190-02	190	2,00	30	58	5	18
TRF-200-01	200	3,00	30	48	6	15
TRF-200-02	200	3,20	30	64	5	18
TRF-200-03	200	2,40	30	64	5	18
TRF-200-04	200	2,00	30	64	5	18
TRF-220-01	220	3,30	30	64	5	18
TRF-230-01	230	3,00	30	72	6	15
TRF-230-02	230	3,30	20	64	6	15
TRF-250-01	250	3,20	30	60	6	15
TRF-250-02	250	2,00	30	80	6	15
TRF-250-03	250	3,20	30	80	5	18
TRF-250-04	250	2,40	30	80	5	18

TRF KOD NO	D	B	d	Z	EURO	Sharpening angles	
						a	b
TRF-280-01	280	3,20	30	64		6	15
TRF-280-02	280	3,20	30	88		6	15
TRF-300-01	300	3,20	30	60		6	15
TRF-300-02	300	3,20	30	72		6	15
TRF-300-03	300	3,20	30	96		5	18
TRF-300-04	300	2,00	30	96		5	18
TRF-350-01	350	3,60	30	84		5	18
TRF-350-02	350	3,60	30	108		5	18
TRF-400-01	400	4,00	30	72		12	15
TRF-400-02	400	4,00	30	96		12	15
TRF-400-03	400	4,00	30	120		5	18
TRF-450-01	450	4,00	30	72		12	15
TRF-450-02	450	4,00	30	120		5	18
TRF-500-01	500	4,00	30	120		5	18



They are used in sizing with sensitivity and in cutting for MDF laminate chipboard, plywood and covered materials.



Saw Blades For MDF and Laminate

Silent Cut MDF/Laminates Blade


They are used for the panels that made laminated as double sides without being necessary scoring saw blades; in gaining excellent result.



KA KOD NO	D	B	d	Z	
KA-250-01	250	3,20	30	80	
KA-300-01	300	3,20	30	96	
KA-350-01	350	3,60	30	108	

Carbide Diamond Tipped Router CNC Cutters

They are used for the panels that made laminated as double sides without being necessary scoring saw blades; in gaining excellent result.



OLK KOD NO	D	B	d	Z	
OLK-250-01	250	3,20	30	48	
OLK-300-01	300	3,20	30	60	



Saw Blades For MDF and Laminate

Carbide Diamond Tipped Marker Blades

These saw blades prevent the breakage on the bottom surface with making of pre scoring. They are used for laminate particleboard and covering plates.



CZC KOD NO	D	B	d	Z	
CZC-100-01	100	2,8-3,8	20	20	
CZC-120-01	120	3,0-4,0	20	24	
CZC-125-01	125	2,8-3,8	20	24	
CZC-125-02	125	3,0-4,0	20	24	
CZC-125-03	125	3,1-4,1	20	24	
CZC-125-04	125	3,2-4,2	30	24	
CZC-150-01	150	3,0-4,0	20	36	
CZC-150-02	150	3,4-4,4	20	36	
CZC-150-03	150	4,2-5,2	20	36	
CZC-160-01	160	3,0-4,0	30	24	
CZC-160-02	160	4,2-5,2	30	24	
CZC-180-01	180	3,4-4,4	30	24	
CZC-180-02	180	3,0-4,0	30	24	
CZC-180-03	180	4,3-5,3	30	36	
CZC-200-01	200	3,2-4,2	30	34	
CZC-200-02	200	4,2-5,2	30	34	
CZC-220-01	220	3,30	20	64	
CZC-220-02	220	3,0-4,0	20	64	



Saw Blades For MDF and Laminate

Main and Marker Blades for Horizontal Sheet Material Cutting Machines



MACHINE: HOLZMA MODEL: EBATLAMA

Machine	Main Saw	Z	Plotter	Z
HOLZMA	350x4,4x60	72	180x4,4 / 5,6x45	36
HOLZMA	380x4,4x60	72	180x4,4 / 5,4x45	36
HOLZMA	380x4,8x60	72	200x4,8 / 5,8x45	36
HOLZMA	380x4,8x60	84		
HOLZMA	450x4,8x60	72		
HOLZMA	450x4,8x60	84		
HOLZMA	500x4,8x60	60		
HOLZMA	500x4,8x60	72		
HOLZMA	600x5,8x60	72		

*Please ask for stocks and discount rates

MACHINE: SELCO MODEL: EBATLAMA

Machine	Main Saw	Z	Plotter	Z
SELCO	320x4,4x65	60	200x4,3 / 5,6x65	36
SELCO	360x4,4x65	72	200x4,3 / 5,3x65	36
SELCO	400x4,4x80	72	200x4,3 / 5,3x65	48
SELCO	430x4,4x80	72	300x4,55 x65	72
SELCO	450x4,8x80	72	200x4,7 / 5,6x65	36
SELCO	480x4,8x80	72		
SELCO	520x4,8x70	72		

MACHINE: GIBEN MODEL: EBATLAMA

Machine	Main Saw	Z	Plotter	Z
GIBEN	320x4,4x75	72	125x4,4 / 5,6x25	24
GIBEN	330x4,4x50	60	160x4,4 / 5,6x25	28
GIBEN	350x4,4x50	72	180x4,4 / 5,6x50	42
GIBEN	355x4,4x75	72	215x4,4 / 5,6x50	42
GIBEN	400x4,4x75	72	300x4,4 / 5,6x50	48
GIBEN	430x4,4x75	96		
GIBEN	460x4,4x75	72		
GIBEN	470x4,4x75	96		

*Please ask for stocks and discount rates

Saw Blades For MDF and Laminate



MACHINE: TÖRK

MODEL: MP70

Machine	Main Saw	Z	Plotter	Z
TÖRK	320x4,4x75	60	160x4,3 / 5,4x55	36

*Please ask for stocks and discount rates

MACHINE: GABBIANI

MODEL: EBATLAMA

Machine	Main Saw	Z	Plotter	Z
GABBIANI	355x4,4x80	72	160x4,4 / 5,6x55	36
GABBIANI	380x4,4x80	72	200x4,4 / 5,6x80	36
GABBIANI	380x4,8x80	72	200x4,8 / 5,8x80	36
GABBIANI	380x4,8x80	96		
GABBIANI	420x4,8x80	72		

*Please ask for stocks and discount rates

MACHINE SCM,ALTENDORE,MAYER,CASADEI,HOLZHER

MODEL: EBATLAMA

Machine	Main Saw	Z	Plotter	Z
*SCM, ALTENDORE, MAYER, CASADEI, HOLZHER	350x4,4x30	72	125x4,4 / 5,6x20	24
	350x3,2x30	84	127x4,4 / 5,6x45	24
	300x4,4x30	60	150x4,4 / 5,6x30	28
	355x4,4x30	72	150x4,4 / 5,6x45	28
			180x4,4 / 5,6x30	28
			200x4,4 / 5,6x20	36

*Please ask for stocks and discount rates

MACHINE: SCHEER,SCHELLING


Machine	Main Saw	Z	Plotter	Z
*SCHERR, SCHELLING	305x4,4x30	60	200x4,4 / 5,6x30	36
	400x4,4x30	72	200x4,4 / 5,6x20	36
	400x4,25x30	72		
	460x4,4x20	72		

*Please ask for stocks and discount rates

ALUMINIUM SAW BLADES

Aluminium PVC Solid Tube Cutter Blades

These saw blades are used in cutting aluminum composite panels and opening canal operations at requested width.



ALC KOD NO	D	B	d	Z	
ALC-150-01	150	8,00	30	18	
ALC-150-02	150	10,00	30	18	
ALC-180-01	180	8,00	30	18	
ALC-180-03	180	10,00	30	18	
ALC-180-04	180	8,00	30	24	
ALC-180-05	180	10,00	30	24	
ALC-200-01	200	8,00	30	18	
ALC-200-03	200	10,00	30	18	
ALC-200-04	200	8,00	30	24	
ALC-200-05	200	10,00	30	24	

Metal DRY Cut (Sandwich Panel)



DRY KOD NO	D	B	d	Z	
DRY-180-01	180	2,20	30	34	
DRY-190-01	190	2,20	30	38	
DRY-210-01	210	2,20	30	40	
DRY-230-01	230	2,20	30	44	
DRY-305-01	305	2,20	25,4	80	
DRY-355-01	355	2,40	25,4	80	



ALUMINIUM SAW BLADES

Silent Carbide Diamond Tipped Circular Saw Blades for Aluminium and PVC Applications



With negative tooth: These saw blades are used in cutting of what having various thicknesses of sheet metals, bars, pipe, aluminum hollow sections and especially appropriate at the sleeved machines.

With positive tooth: These saw blades are advised in cutting for bars, aluminum hollow pipes that materials have over 5 mm thickness especially at the automatic machines.



ALM KOD NO	D	B	d	Z	
ALM-115-01	115	4,00	22	20	
ALM-140-01	140	2,20	30	48	
ALM-150-01	150	3,00	30	48	
ALM-160-01	160	2,20	30	48	
ALM-170-01	170	3,00	30	48	
ALM-180-01	180	3,00	30	48	
ALM-180-02	180	3,00	30	58	
ALM-190-01	190	2,00	30	58	
ALM-190-02	190	3,00	30	58	
ALM-200-01	200	3,00	30	40	
ALM-200-02	200	3,00	30-32	64	
ALM-200-03	200	2,00	30-32	64	
ALM-200-04	200	2,00	32	72	
ALM-210-01	210	2,00	30	64	
ALM-210-02	210	3,00	30	64	
ALM-230-01	230	3,00	30	36	
ALM-230-02	230	3,20	30	62	
ALM-230-03	230	3,20	30	72	
ALM-235-01	235	3,00	30	30	
ALM-250-01	250	3,20	30-32	60	
ALM-250-02	250	3,20	30-32	80	
ALM-250-03	250	2,00	30	80	
ALM-270-01	270	2,40	30	48	
ALM-270-02	270	3,20	30	88	
ALM-275-01	275	2,40	30	48	
ALM-280-01	280	2,40	30	64	
ALM-280-02	280	3,20	32	88	
ALM-300-01	300	3,20	30	48	
ALM-300-02	300	3,20	30	60	
ALM-300-03	300	3,20	30-32	72	
ALM-300-04	300	3,20	30-32	96	
ALM-300-05	300	2,00	30-32	96	
ALM-305-01	305	3,20	30	96	
ALM-320-01	320	3,20	32	96	
ALM-330-01	330	3,60	32	108	
ALM-350-01	350	3,60	30-32	84	


ALM KOD NO	D	B	d	Z	
ALM-350-02	350	2,40	30-32	96	
ALM-350-03	350	3,60	30-32	108	
ALM-355-01	355	2,00	30	50	
ALM-380-01	380	3,60	30	56	
ALM-380-02	380	3,60	32	110	
ALM-400-01	400	4,00	30	60	
ALM-400-02	400	4,00	30	72	
ALM-400-03	400	4,00	30-32	96	
ALM-400-04	400	4,00	30-32	108	
ALM-400-05	400	4,00	30-32	120	
ALM-420-01	420	2,80	30	60	
ALM-420-02	420	4,00	30	72	
ALM-420-03	420	2,80	30	80	
ALM-420-04	420	4,00	30-32	96	
ALM-420-05	420	4,00	30-32	108	
ALM-420-06	420	4,00	30-32	120	
ALM-450-01	450	4,00	30	72	
ALM-450-02	450	4,00	30	96	
ALM-450-03	450	4,00	30-32	108	
ALM-450-04	450	4,00	32	120	
ALM-500-01	500	4,00	30	60	
ALM-500-02	500	4,00	30	72	
ALM-500-03	500	4,00	30	96	
ALM-500-04	500	4,00	30	108	
ALM-500-05	500	4,00	30-32	120	
ALM-500-06	500	4,00	30	138	
ALM-500-07	500	4,00	30	160	
ALM-550-01	550	4,40	50	68	
ALM-550-02	550	4,40	30	72	
ALM-550-03	550	4,40	30	96	
ALM-550-04	550	4,40	30-32	120	
ALM-600-01	600	4,40	50	72	
ALM-600-02	600	4,40	30	96	
ALM-600-03	600	4,40	30	120	
ALM-600-04	600	4,40	30	138	
ALM-600-05	600	4,40	30	160	

*Custom production till 1000 mm, contact for more info

ALUMINIUM SAW BLADES

Fold Grooving Cutters

These saw blades are used in cutting of the aluminum and PVC materials for the opening canal operations together with three tools. Depend on request can be produced for each one size.



KRT KOD NO	D	B	d	Z	
KRT-86-01	86	4,50	30	10	
KRT-87-01	87	4,30	30	10	
KRT-120-01	120	5,20	30	14	
KRT-127-01	127	4,50	30	12	
KRT-128-01	128	4,50	30	12	
KRT-161-01	161	5,80	30	18	

Aluminium/PVC Steel Tooth Blades Steel Cutters for Saws and Routers, Chrome-Vanadium



Glazing Bead Saws

Saws for Plastic and PVC

Saws for Plastic and PVC

CK KOD NO	D	B	d	Z	
CK-200-01	200	2,00	32	80	
CK-200-02	200	1,80	32	160	
CK-250-01	250	2,00	32	100	
CK-250-02	250	2,50	32	100	
CK-300-01	300	2,50	32	120	


PVC KOD NO	D	B	d	Z	
PVC-200-01	200	1,30	32	180	
PVC-250-01	250	1,30	32	230	
PVC-300-01	300	1,30	32	280	
PVC-350-01	350	1,30	32	360	
PVC-400-01	400	1,30	40	410	
PVC-450-01	450	2,00	40	410	
PVC-500-01	500	2,50	40	410	

FRZ KOD NO	D	B	d	Z	
FRZ-95-01	95	2,50	32	80	
FRZ-100-01	100	4,00	22	80	
FRZ-100-02	100	4,00	32	80	
FRZ-115-01	115	4,00	22	80	
FRZ-115-02	115	4,00	32	80	
FRZ-120-01	120	4,00	22	80	
FRZ-120-02	120	4,00	32	80	
FRZ-125-01	125	4,00	22	80	
FRZ-125-02	125	4,00	32	80	

METAL SAW BLADES

Circular Metal Tube Cutting Blades

Friction saw blades are derived from chrome vanadium steel (CRV 80). These are used in cutting metal hollow sections materials with dry cutting.



PRF KOD NO	D	B	d	Z	
PRF-200-01	200	2,00	32	124	
PRF-250-02	250	2,50	32	156	
PRF-300-01	300	2,50	32	186	
PRF-350-01	350	2,50	32	216	
PRF-400-01	400	3,00	40	230	
PRF-400-02	400	4,00	40	230	
PRF-450-01	450	3,00	40	260	
PRF-450-02	450	4,00	40	260	
PRF-520-01	520	3,00	40	300	
PRF-520-02	520	4,00	40	300	
PRF-520-03	520	5,00	40	300	
PRF-600-01	600	4,00	40	300	
PRF-600-02	600	5,00	40	240-280-300	
PRF-700-01	700	5,00	40	280-328-350	
PRF-700-02	700	6,00	40	280-328-350	
PRF-800-01	800	5,00	40	320-372-400	
PRF-800-02	800	6,00	40	320-372-400	
PRF-850-01	850	6,00	40	340	
PRF-850-02	850	7,00		320-350-380	
PRF-850-03	850	8,00		320-350-380	
PRF-900-01	900	7,00		320-350-400	
PRF-900-02	900	8,00		320-350-400	
PRF-1000-01	1000	7,00		320-400-450	
PRF-1000-02	1000	7,50		320-400-450	
PRF-1000-03	1000	8,00		320-400-450	
PRF-1000-04	1000	9,00		320-400-450	
PRF-1000-05	1000	10,00		320-400-450	

*Yukarıdaki ölçüler haricinde 1500mm'ye kadar ve ara ölçülerde üretimimiz vardır.Lütfen sorunuz.

Parrot Tooth V Tooth V Tooth with flat part



METAL SAW BLADES

HSS DM05 Antifriction - HSS / E Tin HSS Disks for Solid Hollow Tube Cutting Applications

HSS Antifriction for Solid Hollow Tube Cutting



Çap D(mm)	Kalınlık B(mm)	Delik d(mm)	
200	1,80	32	
250	1,20	32	
250	1,60	32	
300	1,20	32	
300	1,60	32	
300	2,00	32	

Antifric

Titan (Inox, for stainless steel)

Çap D(mm)	Kalınlık B(mm)	Delik d(mm)	
250	1,60	32	
250	2,00	32	
275	2,00	32-40	
275	2,50	32-40	
300	2,00	32	
300	2,50	32	
315	2,00	32	
315	2,50	32	
350	2,00	32	



TIN (Inox, for stainless steel)

Çap D(mm)	Kalınlık B(mm)	Delik d(mm)	
250	2,00	32	
275	2,00	32	
275	2,50	32	
315	2,00	32	
315	2,50	32	
350	2,00	32	
350	2,50	32	



SERTİFİKALAR Certificates





Esenehir mah. Natoyolu cad. No:213/2
Dudullu-Ümraniye / İSTANBUL

Tel : 0216 309 46 00
Gsm : 0542 505 82 06 - 07 - 08

E-posta: info@osmanoglugroup.com